

www.hundapower.com

www.hundapower.com
www.hundacharger.com

zzr@hundapower.com

Shenzhen Hongda Shun Technology Development Co.,Ltd.

Factory: 402, 4/F, A Building,Xinlida Industrial Park, Junxin Road,
Niuhu Community, Guanlan Street, Longhua District, Shenzhen

PD Charging Expert

Mobile Phone/Tablet & Notebook/Netbook
& Digital Devicescharger and more...

HUNDA



www.hundapower.com

Shenzhen Hongda Shun Technology Development Co.,Ltd.

2022 Product list

About Us

DETAILS ABOUT COMPANY

Quality is our Culture !

Shenzhen Hongdashun Technology Development Co., Ltd. was established in 2004. It is a high-tech enterprise specializing in providing power supply solutions, R&D, production and sales of USB multi-port PD chargers, GaN gallium nitride chargers, power adapter and car chargers.

The company listed 6000㎡ plant area, with more than 10+R&D employees, 15+ Quality Control employees, plus more than 200+ skilled workers! Safe and Quality first are our eternal determination and pursuit.

As a professional AC adapter & PD charger manufacturer, most of the products have been passed CE(TUV), FCC, RoHS, ETL, UL, GS, CB, BS, CCC, PSE, KC, KCC, SAA, C-CITK etc, which can be sale worldwide.

We are also capable to make ODM orders as Client's request.





www.huwder.com

huwder.tmall.com

Honor

PATENT CERTIFICATE





High-Tech Enterprises






Alibaba Key Account Supplier

Operating

BUSINESS SCOPE



OEM Customized

Original Equipment Manufacturer, customized visual recognition, according to customer requirements, provide special laser engraving.

ODM Customized

ODM customization, according to customer requirements, provide customized ID design, structural design, electronic design. Or the customer provides 3D drawings, we further optimize according to the actual situation

USTOMIZATION

Accept customer OEM, ODM customization, also accept customer needs Carry out appearance, structure, electronic design, all-round customization

Partners

QUALITY PARTNERS

power integrations™

GaNFast™ Navitas

CorEnergy®

Innoscience 英诺赛科

transphorm

SOUTHCHIP

ISW 智融 ISMARTWARE

ON Semiconductor

NXP

www.humdapower.com

20W PD-Mini Silicon Si

Model: A2103
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A
Size: 38x30x31mm
Weight: 37g



NEW PRODUCT

Model: A2103-2
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.67A
USB-A: 5V/3A, 9V/2A, 12V/1.5A
USB-C+USB-A: 5V/3A(Max)
Size: 31x30x68.6mm
Weight: 36.5g



www.hundapower.com

20W PD Charger



Model: A2008-01
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.5A
Size: 58.5x30x42.5mm
Weight: 47g



Model: A2008-02
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.5A
USB-A: 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A
USB-C+USB-A: 5V/3.4A(Max)
Size: 58.5x30x42.5mm
Weight: 47g

www.hundapower.com

20W PD Charger

Model: A2008-01
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.5A
Size: 58.5x30x42.5mm
Weight: 47g



Model: A2008-02
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 20W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.5A
USB-A: 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A
USB-C+USB-A: 5V/3.4A(Max)
Size: 58.5x30x42.5mm
Weight: 47g



www.hundapower.com

GaN 30W PD Charger



GaN

NEW PRODUCT

Model: A2104
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS: 3.3V-11V/3A 30W(Max)
Size: 30x30x30mm
Weight: 36g

www.hundapower.com

30W PD Charger

Model: A2009
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,
PPS: 3.3V-11V/3A 30W(Max)
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A, 18W(Max)
USB-C+USB-A: 5V/3.4A(Max)
Size: 52.5x28x47mm
Weight: 70g



Model: A2009
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,
PPS: 3.3V-11V/3A 30W(Max)
Size: 52.5x28x47mm
Weight: 70g



www.hundapower.com

30W PD Charger



Model: A2009
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS: 3.3V-11V/3A 30W(Max)
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A, 18W(Max)
USB-C+USB-A: 5V/3.4A(Max)
Size: 52.5x28x47mm
Weight: 70g



Model: A2009
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,
PPS: 3.3V-11V/3A 30W(Max)
Size: 52.5x28x47mm
Weight: 70g

www.hundapower.com

33W PD Charger

Model: A2015-01
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 33W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS: 3.3V-11V/3A 33W(Max)
Size: 52.5x28x47mm
Weight: 70g



Model: A2015-02
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 33W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS: 3.3V-11V/3A 33W(Max)
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A 18W(Each)
USB-C+USB-A: 5V/3.4A(Max)
Size: 52.5x28x47mm
Weight: 70g



www.hundapower.com

GaN 33W PD Charger







GaN

NEW PRODUCT

Model: A2106-3
Input: 100-240V~ 0.8A 50-60Hz
Total Output: 33W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2A, 20V/1.5A
PPS: 3.3V-11V/3A 33W(Max)
Size: 30x30x30mm
Weight: 36g

www.hundapower.com

GaN 33W PD Charger

NEW PRODUCT

GaN

Model: A2104-2

Input: 100-240V~ 0.8A 50-60Hz

Total Output: 33W(Max)

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,

PPS: 3.3V-11V/3A 33W(Max)

USB-A: 5V/3A, 9V/2A, 12V/1.5A, 18W(Max)

USB-C+USB-A: 5V/3A

Size: 32.5x34x39.6mm (US)

Weight: 46g



www.hundapower.com

35W PD Charger



Model: A2202-02CC

Input: 100-240V~ 0.8A 50-60Hz

Total Output: 35W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.33A, 20V/1.75A

PPS: 3.3-11V/3A

USB-C1 + USB-C2: 5V/4A

Size: 59x43x30mm

Weight: 47g



Model: A2202-02

Input: 100-240V~ 0.8A 50-60Hz

Total Output: 35W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.33A, 20V/1.75A

PPS: 3.3-11V/3A

USB-A: 5V/3A, 9V/2A, 12V/1.5A

USB-C + USB-A: 5V/4A

Size: 59x43x30mm

Weight: 47g

www.hundapower.com

GaN 35W PD Charger

NEW PRODUCT

GaN

Model: A2213-2

Input: 100-240V~ 0.8A 50-60Hz

Total Output: 35W(Max)

USB-C: 5V/3A, 9V/3A, 15V/2.33A, 20V/1.75A

PPS: 3.3V-11V/3A

Size: 43x29x43mm (US)

Weight: 70g



www.hundapower.com

GaN 35W PD Charger



GaN

NEW PRODUCT

Model: A2213-1

Input: 100-240V~ 0.8A 50-60Hz

Total Output: 35W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.33A, 20V/1.75A

PPS: 3.3V-11V/3A

USB-C1 + USB-C2: 5V/4A


Size: 43x29x43mm (US)

Weight: 70g


www.hundapower.com

38W / 40W PD Charger

Model: A2203
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 38W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.5A,
20V/1.9A, 38W(Max), PPS: 3.3V-11V/3A
USB-A: 5V/3A, 9V/2A, 12V/1.5A, 18W(Max)
USB-C+USB-A: 20W(USB-C) + 18W(USB-A)
20W: 5V/2A, 9V/2.22A, 12V/1.67A
18W: 5V/2A, 9V/2A, 12V/1.5A
Size: 52.5x29.5x48.5mm (US)
Weight: 70g



Model: A2203-CC
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 40W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.5A,
20V/2A, 40W(Max), PPS: 3.3V-11V/3A
USB-C1 + USB-C2: 25W + 15W
Size: 52.5x29.5x48.5mm (US)
Weight: 70g



www.hundapower.com

GaN 40W PD Charger



GaN

NEW PRODUCT

Model: HDS2201
Input: 100-240V~ 50-60Hz 1.0A
Total Output: 40W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/2.33A, 20V/1.75A, 35W(Max)
USB-C1+USB-C2: 20W + 20W
Size: 53x40.5x29mm (US)
Weight: 83g

www.hundapower.com

GaN 35W / 45W PD Charger

NEW PRODUCT GaN


Model: A2107-C2-35W
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 35W(Max)
USB-C1/C2: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A,
PPS: 3.3V-11V/3A
USB-C1+USB-C2: 30W + 5W or 20W + 15W or 18W + 17W
Size: 50x50x26mm
Weight: 62g

NEW PRODUCT GaN

Model: A2107-C2
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 45W(Max)
USB-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A,
PPS: 3.3V-16V/3A
USB-C1+USB-C2: 25W + 20W
20W: 5V/3A, 9V/2.22A, 12V/1.67A
25W: 5V/3A, 9V/2.78A, 12V/2.25A
Size: 50x50x32mm
Weight: 89g








www.hundapower.com

GaN 45W PD Charger



GaN NEW PRODUCT

Model: A2107-01
Input: 100-240V~ 50-60Hz 1.0A
Total Output: 45W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
PPS: 3.3V-16V/3A
USB-A: 5V/3A, 9V/2A, 12V/1.5A(18W)
USB-C + USB-A: 30W(USB-C) + 18W(USB-A)
30W: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
Size: 52.5x28x47mm (US)
Weight: 70g



GaN NEW PRODUCT

Model: A2107
Input: 100-240V~ 50-60Hz 1.0A
Total Output: 45W(Max)
USB-Cx1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-Cx2: 30W(USB-C1) + 18W(USB-C2)
PPS: 3.3V-16V/3A
18W: 5V/3A, 9V/2A, 12V/1.5A
30W: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
Size: 52.5x28x47mm (US)
Weight: 70g

www.hundapower.com

48W PD Charger

Model: HDD19-PD

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 48W(Max)

USB-C: 5V/3A, 9V/3A, 12V/1.5A

USB-Ax1: 3.6-6V/3A, 6-9V/3A, 9-12V/1.5A,

USB-Ax2: 5V/3.4A (Total:17W Max)

Size: 97x61x30.5mm

Weight: 152g



www.hundapower.com

60W QC3.0 Charger



www.hundapower.com

Model: A2004

Input: 100-240V~ 1.5A 50-60Hz

Output: ALL PORT OUTPUT POWER 60W(Max)

USB-A: 5V/4.8A(Total), Each USB 2.4A(Max)

QC3.0: 3.6V-6V/3A, 6V-9V/3A, 9V-12V/1.5A

Size: 97x61x30.5mm

Weight: 152g

65W PD Charger

NEW PRODUCT



Model: HDD28-01
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS: 3.3V-11V/5A
USB-A: 5V/3A, 9V/3A, 12V/1.5A (18W)
USB-C + USB-A: 45W(USB-C) + 18W(USB-A)
45W: 5V/3A, 9V/3A, 12V/3A,15V/3A, 20V/2.25A
Size: 74x74x32mm
Weight: 157g

NEW PRODUCT



Model: HDD28-02
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS: 3.3V-11V/5A
Size: 74x74x32mm
Weight: 157g

GaN 65W PD Charger





GaNFast™

Model: A2001

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 65W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A,

PPS: 3.3V-11V/3A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 58x57x33mm (US)

Weight: 156g

www.hundapower.com

GaN 65W PD Charger


GaN

Model: A2018
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A,
PPS: 3.3V-11V/3A
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)
Size: 73.5x45x31mm(US)
Weight: 127g



GaN

Model: A2011
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS: 3.3V-11V/3A
Size: 95.5x57.6x36.5mm
Weight: 147g



www.hundapow.com

GaN 65W PD Charger



GaNFast™

Model: A1901
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS: 3.3V-11V/3A
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A
Size: 56x55x32mm(US)
Weight: 147g



GaNFast™

Model: A1901-2
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A,
PPS: 3.3V-11V/3A
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)
Weight: 147g

www.hundapow.com

75W PD Charger

Model: A2006

IInput: 100-120V~ 1.5A 50-60Hz

Output: ALL PORT OUTPUT POWER 60W(Max)

USB-C: 3.3-11V/5A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A

USB-A: 3.6-6.0V/3A, 6-9V/2A, 9-12V/1.5A

Input: 220-240V~ 1.5A 50-60Hz

Output: ALL PORT OUTPUT POWER 75W(Max)

USB-C: 3.3-11V/5A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.75A

USB-A: 3.6-6.0V/3A , 6-9V/2A , 9-12V/1.5A

Size: 97x61x30.5mm

Weight: 152g



www.hundapower.com

GaN 75W PD Charger

GaNFast™

NEW PRODUCT



www.hundapower.com

Model: A2206

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 75W(Max)

USB-C x 1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.75A

PPS: 3.3V-11V/5A

USB-C1 + USB-C2: 45W+30W

30W: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

45W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

Size: 57.5x57.6x32mm

Weight: 154g

GaN 100W PD Charger

GaNFast™

NEW PRODUCT

Model: A2205

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 100W(Max)

USB-Cx1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

PPS: 3.3-20V/5A

USB-Cx2: EACH PORT 45W(Max)

45W: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

Size: 74x74x32mm

Weight: 147g



www.hundapower.com

100W PD Charger



NEW PRODUCT

Model: A2208-01

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 100W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

PPS: 3.3V-20V/5A

USB-A: 5/3A, 9V/2A, 12V/1.5A (18W)

USB-C + USB-A: 86W (USB-C) + 18W (USB-A)

86W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4.3A

Size: 80x80x32mm(US)

Weight：187g



NEW PRODUCT

Model: A2208-02

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 100W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

PPS: 3.3V-20V/5A

Size: 80x80x32mm(US)

Weight：187g

www.hundapower.com

GaN 120W PD Charger

GaNFast™

NEW PRODUCT

Model: A2204

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 120W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 95.5x57.6x36.5mm

Weight: 187g



www.hongdapower.com

GaN 135W PD Charger





www.hongdapower.com

GaNFast™

Model: A1904-1 & A1904-2

Input: 220-240V~ 50-60Hz 1.0A

Total Output: 135W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A,

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Input: 100-120V~ 50-60Hz 2.0A

Total Output: 120W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A,

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 88x75x30mm

Weight: 332g

GaN 140W PD Charger

GaNFast™

Type-C PD 3.1 140W

NEW PRODUCT



Model: A2209

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 140W(Max)

USB-C x1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 28V/5A

PPS: 3.3V-20V/5A

USB-C x2: (USB-C1) 90W + (USB-C2) 45W

90W: 3.3V-11V/5A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4.5A

45W: 3.3V-11V/3A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

Size: 80x70x32mm

Weight: 187g

www.hundapower.com

GaN 150W PD Charger

GaNFast™





Model: A1904-3 & A1904-4

Input: 220-240V~ 50-60Hz 1.0A

Total Output: 150W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A,

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Input: 100-120V~ 50-60Hz 2.0A

Total Output: 120W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A,

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 88x75x30mm

Weight: 332g

www.hundapower.com

50W Desktop Charger

Model: HDS-HDD10-0524

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 50W(Max)

Output: DC 5V/10A(Total)

Each USB: 2.4A Max



www.hundapower.com

60W Desktop Charger



www.hundapower.com

Model: HDS-HDD10-0624

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 60W(Max)

Output: DC 5V/12A(Total)

Each USB: 2.4A Max

60W QC 3.0 Desktop Charger

Qualcomm quick charge 3.0

Model: HDS-HDD10T

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 60W(Max)

USB Port: 5V/8.4A(Total),Each USB 2.4A(Max)

QC3.0: 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A

Size: 95x67x27mm

Weight: 183g



www.hundapower.com

66W PD Desktop Charger



www.hundapower.com

Model: HDD15-4

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 66W(Max)

PD3.0: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A

PPS: 3.3V-11V/3A

QC3.0: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)

Size: 103x73x30mm

Weight: 217g

100W PD Desktop Charger

Model: HDD15-3-PD

Input: 100-240V~ 1.5A 50-60Hz

Total Output: 100W(Total)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A,

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)

Size: 124x86.5x28.5mm

Weight: 298g



www.hundapower.com

120W PD Desktop Charger



Model: A1903

Input: 100-240V~ 2.0A 50-60Hz

Total Output: 120W(Max)

USB-Cx1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A(Each)

PPSx1: 3.3V-20V/5A(Each)

(USB-C/PPS)x2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A(Each)

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)

Size: 112x81x29mm

Weight: 370g

www.hundapower.com

150W PD Desktop Charger

Model: A2002
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 150W(Max)
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A(Each)
PPSx1: 3.3V-20V/5A(Each)
(USB-C/PPS)x2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A(Each)
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A
Size: 112x81x29.5mm
Weight: 368g



Model: A2003
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 150W(Max)
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A(Each)
PPSx1: 3.3V-20V/5A(Each)
(USB-C/PPS)x2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A(Each)
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)
Size: 112x81x29.5mm
Weight: 368g



www.huadapower.com

GaN 200W PD Charger



GaNFast™

Type-C PD3.1 140W

NEW PRODUCT

Model: A2201
Input: 100-240V~ 3A 50-60Hz
Total Output: 200W(Max)
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-C2/3/4: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
PPS: 3.3V-20V/5A
USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A
Size: 110x84x29.5mm
Weight: 364g

GaN 245W PD Charger

GaNFast™

NEW PRODUCT

Type-C PD 3.1 140W

Model: A2115

Input: 100-240V~ 2.5A 50-60Hz

Total Output: 245W(Max)

USB-C1: 3.3-20V/5A,5V/9V/12V/15V/3A, 20V/5A, 28V/5A

USB-C2/C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 124x81x35mm

Weight: 386g



www.sundapower.com

GaN 250W PD Charger

GaNFast™

NEW PRODUCT

Type-C PD 3.1 140W



www.sundapower.com

Model: A2017

Input: 100-240V~ 2.5A 50-60Hz

Total Output: 245W(Max)

USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A

USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

PPS: 3.3V-20V/5A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A

Size: 120x75x33mm

Weight: 389g

24W QC3.0 Car Charger

Model: C2001-02

Input: 12-24V/3A

Total Output: 24W(Max)

USB-A: 4.5V/5A, 5V/4.5A, 3.6V-6V/3A, 6V-9V/3A, 9V-12V/2A

USB-A1+USB-A2: 5V/4.8A(Max)

Size: 29x29x63.5mm

Weight: 26g



www.hundapower.com

30W PD Car Charger



www.hundapower.com

Model: C2001-01

Input: 12-24V/3A

Total Output: 30W(Max)

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,

PPS: 3.3V-11V/3A

USB-A: 4.5V/5A, 5V/4.5A, 3.6V-6V/3A, 6V-9V/3A, 9V-12V/2A

USB-C+USB-A: 5V/5.4A(Max)

Size: 29x29x63.5mm

Weight: 28g

30W Car Charger

Qualcomm quick charge 3.0

Model: H2205C
Input: 12-24V/3A
Total Output: 30W(Max)
USB-A1: 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A
USB-A2/A3: 5V/2.4A
Size: 40x32x72.5mm
Weight: 42g



Model: H2204C
Input: 12-24V/3A
Total Output: 30W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.67A
USB-A2/A3: 5V/2.4A
Size: 40x32x72.5mm
Weight: 42g



www.hundapower.com

38W PD Car Charger



Model: H2201C
Input: 12-24V/3A
Total Output: 38W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/1.67A, 20W
USB-A: 5V/3A, 9V/2A, 12V/1.5A, 18W
USB-C+USB-A: 5V/5.4A(Max)
Size: 31x24x61mm
Weight: 36g

www.hundapower.com

45W PD Car Charger

Model: H2203C
Input: 12-24V/6A(Max)
Total Output: 45W(Max)
USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/2.25A
PPS: 3.3V-11V/3A
USB-C2: 5V/3A, 9V/2.25A, 12V/1.67A
USB-C1+USB-C2: 25W+20W(Max)
Size: 40x32x72.5mm
Weight: 42g



www.hundapower.com

48W PD Car Charger



www.hundapower.com

Model: H2202C
Input: 12-24V/3A
Total Output: 48W(Max)
USB-C: 5V/3A, 9V/2.25A, 12V/2A, 25W
USB-A: 4.5V/5A, 5V/4.5A, 3.6V-6V/3A, 6V-9V/3A, 9V-12V/2A
Size: 27x27x66mm
Weight: 36g

60W PD Car Charger

Model: C1903

Input: 12-24V/6A(Max)

Total Output: 60W(Max)

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

PPS: 3.3V-11V/3A

USB-A: 4.5V/5A, 5V/4.5A, 3.6V-6V/3A, 6V-9V/3A, 9V-12V/1.5A

USB-C2 + USB-A: 5V/3.4A(Max)

Size: 79x35.2x22.5mm

Weight: 33g



www.hundapower.com

96W QC3.0 Car Charger



Model:HDD16-CC

Input: 12-24V/9A

Total Output: 96W(Max)

USB*2 : 5V/2.4A (EACH)

QC3.0*4 : 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A(EACH)

Size: 95x68x27mm

Weight: 122g

www.hundapower.com

120W PD Car Charger

Model: C1901

Input: 12-24V/10A(Max)

Total Output: 120W(Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

USB-A: 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A(Each)

Size: 103x73x30mm

Weight: 127g



www.hongdapower.com

120W PD Car Charger



www.hongdapower.com

Model: C1902

Input: 12-24V/10A(Max)

Multi Socket Output Power Total 120W(Max)

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

PPS: 3.3-11V/3A

USB-A: 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A

Size: 91.5x65.8x36.5mm

Weight: 112g

120W QC3.0 Car Charger

Model: HDD27
Input: DC 12-24V/10A(Max)
Total Output: 120W(Max)
QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A
Size: 100x61x35mm
Weight: 117g



Model: HDD13-0321
Input: DC 12-24V
USB Power: 15W
USB Output: 5V/3.1A
USB Port: 2 Port
Lighter Output: 12V-24V
Lighter Power:120W
Product Size: 90*55*30 mm
Weight: 111g



www.hundapower.com

PD Charger 30W & 45W





Model: HDD04-PD
Input: 100-240V~ 0.5A 50-60Hz
Total Output: 30W
Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
Size: 85x39x32mm
Weight: 134g





Model: HDD04-PD
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 45W
Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/2.25A
Size: 85x39x32mm
Weight: 134g

www.hundapower.com

PD Charger 45W & 65W & 100W

Model: A2012-01
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 45W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
Size: 85.5x55x29.5mm
Weight: 126g



Model: A2012-02
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Size: 85.5x55x29.5mm
Weight: 126g



Model: A2112
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 100W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Size: 116x57x29.5mm
Weight: 149g



www.hundapower.com

PD Charger 65W & 100W



Model: A2207-02
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 65W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A,
Size: 74x74x32mm
Weight: 178g



Model: A2208-02
Input: 100-240V~ 1.5A 50-60Hz
Total Output: 100W(Max)
USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Size: 80x80x32mm
Weight: 187g

www.hundapower.com

PD Charger For Mac

Model No: A1882
Input: AC100-240V~ 0.75A 50-60Hz
Total Output: 30W
USB-C: 20V/1.5A, 15V/2A, 9V/3A, 5V/3A

AP 30W



Model No: 61W
Input: AC 100-240V~ 1.5A 50-60Hz
Total Output: 61W(Max)
USB-C: 20.3V/3A(USB PD) or 9V/3A(USB PD) or 5.2V/2.4A(USB PD)

AP 61W



Model No: 87W
Input: AC 100-240V~ 1.5A 50-60Hz
Total Output: 87W(Max)
USB-C: 20.2V/4.3A(USB PD) or 9V/3A(USB PD) or 5.2V/2.4A(USB PD)

AP 87W



Model No: A2166
Input: AC 100-240V~ 1.5A 50-60Hz
Total Output: 96W(Max)
USB-C: 20.5V/4.7A or 15V/3A or 9V3A or 5.2V/3A

AP 96W



www.hundapower.com

PD Charger For Microsoft



36W/44W
Microsoft

Model No: MU36W-A1625 / MU44W-A1800
Input: 100-240V~ 1.6A 50-60Hz
Output: 12V/2.58A , 5V/1A & 15V/2.58A , 5V/1A

65W
Microsoft

Model No: MU65W-A1706
Input: 100-240V~ 1.6A 50-60Hz
Output: 15V/4A , 5V/1A


102W
Microsoft

Model No: MU102W
Input: 100-240V~ 2.0A 50-60Hz
Output: 15V/6.33A , 5V/1.5A

www.hundapower.com

Power Adapter Wall Charger 5W-45W

Model: HDD04-02
Input: 100-240V~ 1.0A 50-60Hz
Total Output: 5W-45W
Interface Model: 5.5x1.7, 5.5x2.1, 4.0x1.7, 4.8x1.7, 4.5x3.0, 7.4x5.0, 4.0x1.35, 7.9x5.5...
Size: 85x39x32mm
Weight: 134g



www.hundapower.com

Power Supply 40W-250W



40W



65W



90W



120W



180W



250W

20V 5A E-Mark C2C Cable & PD Adapters





Type-C to Type-C Cable 1.8M
(E-marker) white 5A

www.hubdapower.com

ADG-HUB



www.hubdapower.com

Model:A2045
Input: 100-240V~ 50/60Hz 1.5A
Output: USB-C 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, PPS:3.3-20V/5A (100W Max.)
Fast Charger: PPS/PD3.0/PD2.0/QC4+/QC4/QC3.0/ AFC/FCP/SCP
Port:
M.2 NVME x1
RJ45 x 1 (2.5gbps / 1000mbps / 100mbps)
USB - C x 3
USB - A x 1
SD Card Slot x 1
4K HDMI Port x 1
Size: 100x100x50 mm
Weight: 478g

15 in 1-HUB

Model: 15 In 1
Port:
HDMI Output Port X1
VGA Port X1
Ethernet Port(Rj-45 Port)x1
USB 3.0 Port X3
USB 2.0 Port X3
SD Card Slot X 1
TF Card Slot X1
USB Type-C Female PD Charging Port X1
Audio Port X1
Wireless X1
Size: 107x58x16mm
Weight: 121g



www.hundapower.com

15 in 1-HUB



www.hundapower.com

Model: 15 In 1
Port:
HDMI Output Port X2
Ethernet Port(Rj-45 Port)x1
VGA Port X1
USB 3.0 Port X3
USB 2.0 Port X2
SD Card Slot X 1
TF Card Slot X1
USB Type-C Female PD Charging Port X1
DATA Port X 2
Audio Port X1
Size: 260x80x20mm
Weight: 360g

14 in 1-HUB

Model: 14 In 1
Port:
HDMI Output Port X1
Ethernet Port(Rj-45 Port)x1
VGA Port X1
USB 3.0 Port X3
USB 2.0 Port X2
SD Card Slot X 1
TF Card Slot X1
USB Type-C Female PD Charging Port X1
DATA Port X 2
Audio Port X1
Size: 260x80x20mm
Weight: 360g



www.hundapower.com

11 in 1 USB C HUB



www.hundapower.com

Model: HUB-11C
HDMI Output port*1
Ethernet port(RJ-45 port)*1
VGA Port*1
USB3.0 port*2
USB2.0 port*2
SD Card slot*1
TF Card slot*1
USB Type-C female PD charging port*1(100W MAX)
Mic/Audio 2 in 1 port*1
Connector: USB3.1 Type-C connectorItem
Dimession: 120*55*16mm
Cord length: 130mm
Weight: 106g

9 in 1 USB C HUB


Model: HUB-9C
HDMI Output port*1
Ethernet port(RJ-45 port)*1
USB3.0 port*3
SD Card slot*1,TF card slot*1
USB Type-C female PD charging port*1 (87W MAX)
Audio port*1
Onnector: USB3.1 Type-C connector
Item Dimession: 110*54*17mm
Cord length: 130mm
Weight: 91.4g
Material:Aluminium alloy,ABS



www.hundapower.com

HUNDA

POWER MODULES



If you can dream it,
we can do it !!

Professional R & D design team
can customize the top products for you
We make the good products better
Welcome to inquiry! !

We provide and accept exclusive design and customization services including but not limited to plug-in power modules, communication power modules, security power modules, industrial product power modules and charging cabinets...

www.hundapower.com